

planika
INTELLIGENT FIRE

UNLIMITED FIRE DESIGN

ETHANOL
GAS
ELECTRIC





INDEX

03 **ABOUT US**

06 **AUTOMATIC ETHANOL FIRES**
BEV Technology®

38 **ELECTRIC FIREPLACES**

42 **GAS SOLUTIONS**

56 **OUTDOOR COLLECTION**





designfire

We took on the challenging task and went beyond all the established boundaries to design fire like never before. It was difficult but we managed to develop solutions that allowed us to arrange natural fire in spaces you would not imagine, be it indoor or outdoor.

As the only company in the world we give you fully automatic fireplaces that guarantee convenience and safety. We carefully listen to our clients giving individually customized products. Our offer covers unique bioethanol and gas technologies that provide a lot of freedom in designing your perfect space with fire as the focal point.

The recognition says it all. Planika is global. With official subsidiaries in Europe, USA and Asia and an extensive distribution network we are present in over 100 countries around the world. But the success also lies in the concept of teal organization that Planika adopted. At the company there is no hierarchy and all the employees manage themselves to have freedom and a real influence on the products we create.

This made it possible to give you truly unique solutions in fire design.
This is the work of us all.

- Planika

Automatic Ethanol Fireplaces

Your Safety Comes First

Thanks to the development of ethanol fireplaces, we can now enjoy the real fire even in apartments without ventilation systems. When bio-ethanol fireplaces were first introduced to the market, only manual devices were available. These weren't much more than metal containers manually filled with bio-ethanol and ignited with a lighter. The construction used little or no technology and posed serious threats of spillage or fire explosion.

Drawbacks of Manual Bio-ethanol Fireplaces

The manual bio-ethanol fireplaces soon gained a bad reputation for being too dangerous. The fuel residues burning at the bottom of the fireplace produce a flame that is practically invisible to the human eye. The majority of accidents happen when fuel is added to what seems to be an extinguished fireplace, causing sudden blasts of fire and burns.

The Automatic Fire

Thanks to the technological advancement and the introduction of automatic bio-ethanol fireplaces, we are no longer limited to unsafe manual devices.

The automatic BEV® technology means that there is no direct contact between the fire and fuel. The ethanol is contained in a separate reservoir inside the fireplace from where it is transported into the vapour accelerator. Warm ethanol evaporates through a perforated burner and is ignited by a filament. The burning process takes place above the burner and guarantees that the flame has unlimited access to oxygen and is fully combusted. This prevents the smell that is typical for manual bio-ethanol fireplaces. The BEV® technology can rapidly extinguish the flame by closing the vapour release.

Planika introduced electronic remote controllers and developed apps and integrated Smart Home System modules that give you full control over the fireplace, i.e. starting and extinguishing the fire or even regulating the flame height. All of this without getting up from your comfy sofa!

Another benefit is a pump that delivers the necessary amount of bio-ethanol and automatically stops when the reservoir is full. Such a feature guarantees that you will never spill the fuel again! Also, the system won't add fuel when the fireplace is still working or cooling.

But Is It Automatic?


Some bio-ethanol fireplaces are wrongly named automatic, since most of them are not much different from manual ones. Adding a spark ignitor or a peristaltic pump does not automate the combustion process. Once hot, they pose the same threats as the manual bio-ethanol fireplaces. To distinguish between the two types, remember that the true automatic fireplace produces flames by burning ethanol vapours.

Automatic Fire Opens New Possibilities

Although the automatic BEV® fire is a relatively new invention, it has already become popular amongst architects and interior designers. If you are considering buying a fireplace and don't want to modify your house or apartment, the automatic BEV® bio-ethanol fireplace seems to be the only option that meets even the most demanding health and safety requirements.

Key Differences Between Manual and Automatic BEV® Devices

Non-automatic fireplaces consist of a metal container that is manually filled with bio-ethanol and ignited with a lighter. The construction is extremely simple and poses some serious threats, such as fuel spillage, burns and fire explosions.



Automatic BEV® technology guarantees complete separation of the fuel tank and fire. This, coupled with multiple sensors, meets even the most robust safety requirements.

AUTOMATIC ETHANOL FIRES



FLA3
Ethanol Burner
Design by Porada





FLA3

Ethanol Burner

Design by **Ellemore Huang Shan**



FLA3
Ethanol Burner
By **Ecofire**



FLA3
Ethanol Burner
Design by **Azovski + Pahamova**



FLA3
Ethanol Burner
Design by **Patrick Helou**



FLA3
Ethanol Burner
Design by **Vibieffe**



FLA3
Ethanol Burner
Van der Valk Hotel



Prime Fire
Ethanol Burner
Design by APD Architects

FIRST OF ITS KIND FIREPLACE ON A YACHT



FLA3
Ethanol Burner
Design by **Mondomarine**
Serenity yacht



FLA3
Ethanol Burner
By Ecofire



FLA3 (FIRE LINE AUTOMATIC 3)

Ethanol burner with BEV Technology® (Burning Ethanol Vapours)


TECHNICAL GLASS PANEL

CONTROL OPTIONS



TOP FINISH

Black powder coating (standard)
Stainless steel (optional)
RAL colour (optional)



Custom length



No chimney



Optional glass screens



6 flame heights




Automatic refueling




Optional tray with logs or stones


	FLA3					
	790 mm 31.1"	990 mm 39"	1190 mm 46.9"	1490 mm 58.7"	1990 mm 78.3"	2490 mm 98"
	max. 4.4 kW max. 15 013 BTU/h	max. 7.0 kW max. 23 885 BTU/h	max. 9.4 kW max. 32 074 BTU/h	max. 13.0 kW max. 44 358 BTU/h	max. 18.0 kW max. 61 419 BTU/h	max. 22.5 kW max. 76 773 BTU/h
	4.3 L / 0.9 imp. gal	5.5 L / 1.2 imp. gal	6.8 L / 1.5 imp. gal	8.6 L / 1.9 imp. gal	11.7 L / 2.6 imp. gal	14.8 L / 3.3 imp. gal
	max. 9.0 h	max. 10.0 h	max. 11.0 h	max. 11.0 h	max. 12.0 h	max. 12.0 h
	min. 44 m³ / 1554 ft³	min. 70 m³ / 2472 ft³	min. 94 m³ / 3320 ft³	min. 130 m³ / 4591 ft³	min. 180 m³ / 6357 ft³	min. 225 m³ / 7946 ft³
	24.1 kg / 53.1 lbs	27.5 kg / 60.6 lbs	33.0 kg / 72.8 lbs	39.5 kg / 87.1 lbs	49.5 kg / 109.1 lbs	62.0 kg / 136.7 lbs
	230 V / [US] 115 V					




SINGLE-SIDED




LEFT CORNER / RIGHT CORNER




THREE-SIDED



SEE-THROUGH



ROOM DIVIDER



BY WALL



ISLAND



FLA3+ (FIRE LINE AUTOMATIC 3+)

Ethanol burner with BEV Technology® (Burning Ethanol Vapours)

TECHNICAL GLASS PANEL

CONTROL OPTIONS



TOP FINISH

Black powder coating (standard)
Stainless steel (optional)
RAL colour (optional)

LARGER FUEL TANK



Custom length



No chimney



Optional glass screens



6 flame heights




Automatic refueling




Optional tray with logs or stones


	FLA3+					
	790 mm 31.1"	990 mm 39"	1190 mm 46.9"	1490 mm 58.7"	1990 mm 78.3"	2490 mm 98"
	max. 4.4 kW max. 15 013 BTU/h	max. 7.0 kW max. 23 885 BTU/h	max. 9.4 kW max. 32 074 BTU/h	max. 13.0 kW max. 44 358 BTU/h	max. 18.0 kW max. 61 419 BTU/h	max. 22.5 kW max. 76 773 BTU/h
	13.4 L / 2.9 imp. gal	17.2 L / 3.8 imp. gal	21.0 L / 4.6 imp. gal	26.8 L / 5.9 imp. gal	36.3 L / 8.0 imp. gal	45.9 L / 10.1 imp. gal
	max. 29.0 h	max. 31.0 h	max. 35.0 h	max. 35.0 h	max. 36.0 h	max. 36.0 h
	min. 44 m³ / 1554 ft³	min. 70 m³ / 2472 ft³	min. 94 m³ / 3320 ft³	min. 130 m³ / 4591 ft³	min. 180 m³ / 6357 ft³	min. 225 m³ / 7946 ft³
	24.1 kg / 53.1 lbs	27.5 kg / 60.6 lbs	33.0 kg / 72.8 lbs	39.5 kg / 87.1 lbs	49.5 kg / 109.1 lbs	62.0 kg / 136.7 lbs
	230 V / [US] 115 V					




SINGLE-SIDED




LEFT CORNER / RIGHT CORNER




THREE-SIDED



SEE-THROUGH



ROOM DIVIDER



BY WALL



ISLAND



FORMA FIREBOX *(with FLA3 / FLA3+ burner)*

Automatic ethanol fireplace with BEV Technology® *(Burning Ethanol Vapours)*

PROTECTIVE HEAT DEFLECTOR

TECHNICAL GLASS PANEL

TRUE ZERO CLEARANCE

CONTROL OPTIONS



TOP FINISH

Black powder coating (standard)
Stainless steel (optional)
RAL colour (optional)



Custom length



6 flame heights



No chimney



Automatic refueling



Optional tray
with logs or stones

FORMA FIREBOX WITH FLA3/FLA3+ BURNER

	BURNER 790 mm 31.1"	BURNER 990 mm 39"	BURNER 1190 mm 46.9"	BURNER 1490 mm 58.7"	BURNER 1990 mm 78.4"	BURNER 2490 mm 98"
	FIREBOX 1000 mm 40"	FIREBOX 1200 mm 48"	FIREBOX 1500 mm 60"	FIREBOX 1800 mm 72"	FIREBOX 2300 mm 92"	FIREBOX 2700 mm 106"
	max. 4.4 kW max. 15 013 BTU/h	max. 7.0 kW max. 23 885 BTU/h	max. 9.4 kW max. 32 074 BTU/h	max. 13.0 kW max. 44 358 BTU/h	max. 18.0 kW max. 61 419 BTU/h	max. 22.5 kW max. 76 773 BTU/h
	FLA3 4.3 L / 0.9 imp. gal FLA3+ 13.4 L / 2.9 imp. gal	FLA3 5.5 L / 1.2 imp. gal FLA3+ 17.2 L / 3.8 imp. gal	FLA3 6.8 L / 1.5 imp. gal FLA3+ 21.0 L / 4.6 imp. gal	FLA3 8.6 L / 1.9 imp. gal FLA3+ 26.8 L / 5.9 imp. gal	FLA3 11.7 L / 2.6 imp. gal FLA3+ 36.3 L / 8.0 imp. gal	FLA3 14.8 L / 3.3 imp. gal FLA3+ 45.9 L / 10.1 imp. gal
	FLA3 max. 9.0 h FLA3+ max. 29.0 h	FLA3 max. 10.0 h FLA3+ max. 31.0 h	FLA3 max. 11.0 h FLA3+ max. 35.0 h	FLA3 max. 11.0 h FLA3+ max. 35.0 h	FLA3 max. 12.0 h FLA3+ max. 36.0 h	FLA3 max. 12.0 h FLA3+ max. 36.0 h
	min. 44 m³ / 1554 ft³	min. 70 m³ / 2472 ft³	min. 94 m³ / 3320 ft³	min. 130 m³ / 4591 ft³	min. 180 m³ / 6357 ft³	min. 225 m³ / 7946 ft³
	230 V / [US] 115 V					



SINGLE-SIDED



LEFT CORNER



RIGHT CORNER



THREE-SIDED



SEE-THROUGH



ROOM DIVIDER





Prime Fire
Ethanol Burner
Design by **Design Avenue**



Prime Fire
Ethanol Burner
Design by Design Pahomova and Azovskiy



PRIME FIRE 700

Ethanol burner with BEV Technology® (Burning Ethanol Vapours)

TECHNICAL GLASS PANEL

CONTROL OPTIONS


OPTIONAL

TOP FINISH
Black powder coating



- 


2 flame heights
- 


No chimney
- 


Automatic refueling
- 


Optional glass screens


PRIME FIRE 700	
	max. 4.4 kW / max. 15 013 BTU/h
	1.9 L / 0.4 imp. gal
	max. 4.5 h
	min. 44 m³ / 1554 ft³
	12.3 kg / 27.1 lbs
	230 V / [US] 115 V


- 

SINGLE-SIDED
- 

LEFT CORNER / RIGHT CORNER
- 

THREE-SIDED
- 

SEE-THROUGH
- 

ROOM DIVIDER
- 

BY WALL
- 

ISLAND



PRIME FIRE 990+

Ethanol burner with BEV Technology® (Burning Ethanol Vapours)

TECHNICAL GLASS PANEL

CONTROL OPTIONS

OPTIONAL

TOP FINISH

Black powder coating

- 2 flame heights
- No chimney
- Automatic refueling
- Optional glass screens
- Optional tray with logs or stones

	PRIME FIRE 990+
	max. 7.0 kW / max. 23 885 BTU/h
	5.5 L / 0.6 imp. gal
	max. 10.0 h
	min. 70 m³ / 2472 ft³
	27.5 kg / 60.6 lbs
	230 V / [US] 115 V

- SINGLE-SIDED
- LEFT CORNER / RIGHT CORNER
- THREE-SIDED
- SEE-THROUGH
- ROOM DIVIDER
- BY WALL
- ISLAND



PRIME FIRE 700 IN CASING

Ethanol fireplace with BEV Technology® (*Burning Ethanol Vapours*)



TECHNICAL GLASS PANEL

Optional decorative frame



CONTROL OPTIONS



OPTIONAL



2 flame heights



No chimney



Automatic refueling

PRIME FIRE 700 IN CASING

	max. 4.4 kW / max. 15 013 BTU/h
	1.9 L / 0.4 imp. gal
	max. 4.5 h
	min. 44 m³ / 1554 ft³
	18.0 kg / 40.0 lbs
	230 V / [US] 115 V



PRIME FIRE 990+ IN FORMA CASING

Automatic ethanol fireplace with BEV Technology® (*Burning Ethanol Vapours*)



2 flame heights



No chimney



Automatic refueling



Optional tray with logs or stones

FORMA FIREBOX WITH PRIME FIRE 990+ BURNER

	BURNER 990 mm 39"
	FIREBOX 1200 mm 48"
	max. 7.0 kW max. 23 885 BTU/h
	5.5 L / 1.2 imp. gal
	max. 10.0 h
	min. 70 m³ / 2472 ft³
	230 V / [US] 115 V



SINGLE-SIDED



LEFT CORNER



RIGHT CORNER



THREE-SIDED



SEE-THROUGH



ROOM DIVIDER





Basket Fire Logs
Freestanding Ethanol Fireplace



Pure Flame
Ethanol Fireplace



BASKET FIRE LOGS

Ethanol fireplace with BEV Technology® (Burning Ethanol Vapours)

CONTROL OPTIONS



OPTIONAL



Freestanding



2 flame heights



No chimney



Automatic refueling

BASKET FIRE LOGS	
	max. 2.8 kW / max. 9 554 BTU/h
	1.75 L / 0.4 imp. gal
	max. 6.5 h
	min. 28 m³ / 989 ft³
	14.5 kg / 32.0 lbs
	230 V / [US] 115 V



SCANDI

Ethanol fireplace with BEV Technology® (Burning Ethanol Vapours)

CONTROL OPTIONS



FLUE CONNECTOR

For optional heat extraction

TEMEPERED GLASS

DECORATIVE LOGS

Optional accessory



EASY REFILLING SYSTEM



Freestanding



2 flame heights



No chimney



Easy refueling system

SCANDI	
	max. 4.1 kW / max. 13 990 BTU/h
	5.0 L / 1.1 imp. gal
	max. 10 h
	min. 41 m³ / 1448 ft³
	52.0 kg / 136.7 lbs
	230 V / [US] 115 V



PURE FLAME

Ethanol fireplace with BEV Technology® (Burning Ethanol Vapours)

TOP FINISH

Black powder coating

TECHNICAL GLASS PANEL

CONTROL OPTIONS



OPTIONAL



Insert for installation in furniture



2 flame heights



No chimney



Easy refueling system

PURE FLAME

	max. 5 kW / max. 17 061 BTU/h
	5.0 L / 1.1 imp. gal
	max. 12.0 h
	min. 50 m³ / 1766 ft³
	18.6 kg / 41.0 lbs
	230 V / [US] 115 V



PURE FLAME TV BOX

Ethanol fireplace with BEV Technology® (*Burning Ethanol Vapours*)

CONTROL OPTIONS



OPTIONAL

WHITE MDF FINISH

TECHNICAL GLASS PANEL



Freestanding



2 flame heights



No chimney



Easy refueling system

PURE FLAME TV BOX	
	max. 5 kW / max. 17 061 BTU/h
	5.0 L / 1.1 imp. gal
	max. 12.0 h
	min. 50 m³ / 1766 ft³
	70.6 kg / 155.6 lbs
	230 V / [US] 115 V





L-FIRE

Ethanol fireplace with BEV Technology® (Burning Ethanol Vapours)

CONTROL OPTIONS



OPTIONAL

TOP FINISH

Black powder coating



TECHNICAL GLASS PANEL

Optional frame and mesh



2 flame heights



No chimney



Automatic refueling

	L-FIRE	L-FIRE IN CASING
	max. 4.4 kW / max. 15 013 BTU/h	
	6.0 L / 1.3 imp. gal	
	max. 13.0 h	
	min. 44 m³ / 1554 ft³	
	15.2 kg / 33.5 lbs	27.0 kg / 59.5 lbs
	230 V / [US] 115 V	



ELECTRIC FIREPLACES



ASTRO

Electric fireplace

REFLEX TECHNOLOGY

a system of prisms and LED lights that provides more visual depth than a regular 2-dimensional fireplace. The warm-coloured mirror installed on the back wall enlarges the flame giving you a more natural experience.

CONTROL OPTIONS



YOU DESIGN!

Enjoy the three-sided panoramic flame or cover the sides of Astro with the included panels. By framing the fire you get three additional arrangement options.

HEATFLOW SYSTEM

Astro not only decorates but also warms up your home. Take advantage of the 2-stage heater to enjoy cosy winter evenings.



MULTIZONE COLORFLOW

The Multizone Colorflow let's you give Astro your own look. There are three lighting zones, each with individual colour settings.

	ASTRO			
	850 mm 33.5"	1200 mm 47.2"	1500 mm 59.1"	1800 mm 70.9"
	42.0 kg / 93.0 lbs	59.0 kg / 130.0 lbs	72.5 kg / 160.0 lbs	85.0 kg / 189.0 lbs
	Two-stage heating power: 1500 W & 3000 W			
	240 V / [US] 115 V			



SINGLE-SIDED



LEFT CORNER



RIGHT CORNER



THREE-SIDED



Astro
Electric Fireplace



Astro
Electric Fireplace

GAS SOLUTIONS





Valentino
Gas Fireplace



Sinatra
Gas Fireplace



Monroe
Gas Fireplace



Sinatra
Gas Fireplace



Monroe
Gas Fireplace



Monroe
Gas Fireplace



Monroe
Gas Fireplace



VALENTINO

Linear Gas Fireplace *(balanced flue system)*



BACK WALL FINISH

- Black matte steel (standard)
- Black ceramic glass (optional)

DECORATION

- Logs, vermiculite & chips (included)
- Black diamond stones
- White pebbles & gold vermiculite

CONTROL OPTIONS

STANDARD

OPTIONAL

COMPATIBLE



Thermostat



Modular burner



Ceramic or antireflective glass

	VALENTINO	
	1000 mm 39.4"	1300 mm 51.2"
	(NG) max. 6.4 kW 21 837 BTU/h (LPG) max. 6.7 kW 22 861 BTU/h	(NG) max. 8.5 kW 29 003 BTU/h (LPG) max. 7.4 kW 25 250 BTU/h
	(NG) max. 0.9 m³/h 31.8 ft³/h (LPG) max. 0.7 kg/h 1.54 lbs/h	(NG) max. 1.2 m³/h 42.4 ft³/h (LPG) max. 0.78 kg/h 1.72 lbs/h
	Concentric flue 200/130	
	230 V / [US] 115 V	



SINGLE-SIDED



RIGHT CORNER



LEFT CORNER



THREE-SIDED



MONROE

Campfire Gas Fireplace (balanced flue system)

BACK WALL FINISH

Black matte steel (included)
Black ceramic glass (optional)

CONTROL OPTIONS



STANDARD



OPTIONAL



COMPATIBLE



Thermostat



Modular burner



Ceramic or
antireflective glass

MONROE	
	(NG) max. 8.3 kW 28 320 BTU/h (LPG) max. 9.2 kW 31 392 BTU/h
	(NG) max. 1.2 m³/h 42.4 ft³/h (LPG) max. 0.96 kg/h 2.12 lbs/h
	Concentric flue
	230 V / [US] 115 V



SINGLE-SIDED



LEFT CORNER



RIGHT CORNER



THREE-SIDED



SINATRA

Linear Gas Fireplace *(conventional flue system)*

CONTROL OPTIONS



STANDARD



OPTIONAL



COMPATIBLE

DECORATION

- Logs, vermiculite & chips
- Black diamond stones
- White pebbles & gold vermiculite
- Glass embers



PROTECTIVE GLASS SCREENS

- Ceramic glass (included)
- Antireflective glass (optional)



Custom length



Ceramic or antireflective glass

	SINATRA	
	1600 mm 63"	2000 mm 78.7"
	(NG) max. 15.0 kW 51 185 BTU/h (LPG) max. 14.3 kW 48 794 BTU/h	(NG) max. 19.7 kW 67 219 BTU/h (LPG) max. 19.0 kW 64 831 BTU/h
	(NG) max. 1.58 m³/h 55.8 ft³/h (LPG) max. 1.12 kg/h 2.47 lbs/h	(NG) max. 2.09 m³/h 73.8 ft³/h (LPG) max. 1.50 kg/h 3.31 lbs/h
	Conventional	
	230 V / [US] 115 V	



SINGLE-SIDED



LEFT CORNER



RIGHT CORNER



THREE-SIDED



Sinatra
Gas Fireplace



Sinatra
Gas Fireplace



OUTDOOR COLLECTION



Lighthouse
Gas Patio Heater



Galio Corten
Outdoor Gas Fireplace



Galio Black
Outdoor Gas Fireplace



Totem
Freestanding Ethanol Fireplace

ETHANOL OUTDOOR FIRES

Commerce Technology™ (Absorbent Ceramic Fibers)



TOTEM



JAR



No smoke or ash



No electricity required



Safe burning technology



Easy refueling system

	TOTEM	JAR
	[ØxH] 395 x 1070 mm [ØxH] 15.6" x 42.1"	[ØxH] 410 x 795 mm [ØxH] 16.1" x 31.3"
	24.5 kg / 54.0 lbs	41.5 kg / 91.5 lbs
	max. 2.5 kW / 8 530 BTU/h	
	3.0 L / 0.7 imp. gal	
	max. 7 h	
	min. 25 m³ / 880 ft³	

ETHANOL TABLETOP FIRES

Commerce Technology™ (Absorbent Ceramic Fibers)



DANCING FLAMES



CHANTICO GLASSFIRE



SIMPLE



RONDO



No smoke or ash



No electricity required



Safe burning technology



Easy refueling system

	DANCING FLAME	CHANTICO GLASSFIRE	SIMPLE	RONDO
	[ØxH] 251 x 361 mm [ØxH] 9.9" x 14.2"	[ØxH] 251 x 361 mm [ØxH] 9.9" x 14.2"	[ØxH] 308 x 418 mm [ØxH] 12.1" x 16.5"	[ØxH] 412 x 412 mm [ØxH] 16.2" x 16.2"
	2.0kg / 4.4 lbs	4.2 kg / 9.3 lbs	6.5 kg / 14.3 lbs	7.0kg / 15.4 lbs
	1.5 L / 0.33 imp. gal	1.5 L / 0.33 imp. gal	1.5 L / 0.33 imp. gal	3.0 L / 0.66 imp. gal
	max. 3.5 h	max. 3.5 h	max. 3.5 h	max. 7 h
	max. 2.5 kW / 8 530 BTU/h			
	min. 25 m³ / 880 ft³			



GAS OUTDOOR FIRES

LIGHTHOUSE



Tempered glass



Thermocouple



Anti-tilt valve



Freestanding

	LIGHTHOUSE
	(LPG) max. 7.0 - 10.0 kW max. 23 885 - 34 121 BTU/h
	(LPG) max. 0.50 - 0.65 kg/h max. 1.1 - 1.4 lbs/h
	max. 55 hrs
	(LPG) 37 mbar 14.9"wc
	27.5 kg / 60.6 lbs

* Registered Community Design No 006655080-0001



Lighthouse
Gas Patio Heater





GAS OUTDOOR FIRES

FARO



- Tempered glass
- Thermocouple
- Anti-tilt valve
- Freestanding

	FARO
	(LPG) max. 5.0 - 8.0 kW max. 17 061 - 27 297 BTU/h
	(LPG) max. 0.4 - 0.5 kg/h max. 0.9 - 1.1 lbs/h
	max. 55 hrs
	(LPG) 37 mbar 14.9"wc
	20.0 kg / 44.1 lbs



Galio Insert
Outdoor Gas Burner



Galio Corten
Outdoor Gas Fireplace




Galio Fire Pit Insert
Outdoor Gas Burner



GAS OUTDOOR FIRES

GALIO INSERT

CONTROL OPTIONS



GALIO INSERT AUTOMATIC



GALIO INSERT MANUAL



Custom shape



Smooth flame height regulation



Thermocouple




Easy to install

	GALIO INSERT AUTOMATIC		GALIO INSERT MANUAL
	Galio Insert Automatic 2000	Galio Insert Automatic 1000	Galio Insert Manual
	(NG) max. 16.5 kW 56 300 BTU/h (LPG) max. 16.5 kW 56 300 BTU/h	(NG) max. 9.4 kW 32 074 BTU/h (LPG) max. 11.8 kW 40 263 BTU/h	(NG) max. 13.6 kW 46 405 BTU/h (LPG) max. 11.8 kW 40 263 BTU/h
	(NG) max. 1.75 m³/h 61.8 ft³/h (LPG) max. 1.30 kg/h 2.87 lbs/h	(NG) max. 1.0 m³/h 35.3 ft³/h (LPG) max. 0.93 kg/h 2.05 lbs/h	(NG) max. 1.22 m³/h 43.1 ft³/h (LPG) max. 0.93 kg/h 2.05 lbs/h
	(NG) 20 mbar 8.0\"wc (LPG) 37 mbar 14.9\"wc	(NG) 20 mbar 8.0\"wc (LPG) 37 mbar 14.9\"wc	(NG) 20 mbar 8.0\"wc (LPG) 37 mbar 14.9\"wc
	33.0 kg / 72.8 lbs	21.0 kg / 46.3 lbs	13.0 kg / 28.7 lbs



GAS OUTDOOR FIRES

GALIO



Custom shape



Smooth flame height regulation



Thermocouple

	GALIO BLACK MANUAL / GALIO CORTEN MANUAL	GALIO BLACK AUTOMATIC / GALIO CORTEN AUTOMATIC
	(NG) max. 13.6 kW 46 405 BTU/h (LPG) max. 11.8 kW 40 263 BTU/h	(NG) max. 9.4 kW 32 074 BTU/h (LPG) max. 11.8 kW 40 263 BTU/h
	(NG) max. 1.22 m³/h 43.1 ft³/h (LPG) max. 0.93 kg/h 2.05 lbs/h	(NG) max. 1.0 m³/h 35.3 ft³/h (LPG) max. 0.93 kg/h 2.05 lbs/h
	(NG) 20 mbar 8.0"wc (LPG) 37 mbar 14.9"wc	(NG) 20 mbar 8.0"wc (LPG) 37 mbar 14.9"wc
	31.0 kg / 68.3 lbs	31.0 kg / 68.3 lbs



GAS OUTDOOR FIRES

GALIO FIRE PIT

CONTROL OPTIONS


OPTIONAL


OPTIONAL


COMPATIBLE



DECORATION
Black diamond stones



Custom shape



Smooth flame height regulation



Thermocouple



Easy to install

	GALIO FIRE PIT INSERT	GALIO FIRE PIT CORTEN
	(NG) max. 4.7 kW 16 037 BTU/h (LPG) max. 5.1 kW 13 990 BTU/h	
	(NG) max. 0.5 m³/h 17.7 ft³/h (LPG) max. 0.4 kg/h 0.9 lbs/h	
	(NG) 20 mbar 8.0"wc (LPG) 37 mbar 14.9"wc	
	15.0 kg / 33.0 lbs	65.0 kg / 143.3 lbs



Galio Fire Pit Corten
Outdoor Gas Fireplace

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.



planika
INTELLIGENT FIRE

PLANIKA USA LLC
www.planikausa.com
info@planikausa.com

PLANIKA Sp. z o.o.
www.planikafires.com
planika@planikafires.com

 facebook.com/planikafire
 instagram.com/planikafires
 youtube.com/planikafires

Catalog Online

